

PHARMACY POLICY STATEMENT

Marketplace

DRUG NAME	Ozurdex (dexamethasone)
BENEFIT TYPE	Medical
STATUS	Prior Authorization Required

Ozurdex is an intravitreal implant containing dexamethasone 0.7 mg. It is indicated for the treatment of retinal vein occlusion (RVO), posterior segment uveitis, and diabetic macular edema (DME).

RVO occurs when there is a partial or complete obstruction of a retinal vein. Macular edema is a complication of RVO and can lead to vision loss. First-line treatment is with anti-vascular endothelial growth factor (anti-VEGF) drugs.

DME is a common consequence of diabetic retinopathy. It is caused by leakage from retinal capillaries and leads to fluid build-up in the macula part of the retina. This can result in loss of central vision. The importance of maintaining glucose control cannot be understated.

Uveitis is an inflammation of the uvea (middle layer of the eye). It can be infectious or non-infectious. Non-infectious uveitis (NIU) is often associated with inflammatory conditions such as rheumatoid arthritis. If the anterior segment of the uvea is affected, it can be treated with topical glucocorticoids. If resistant or affecting the intermediate or posterior segments, more invasive or systemic treatment is needed.

Ozurdex (dexamethasone) will be considered for coverage when the following criteria are met:

Retinal Vein Occlusion (RVO)

For **initial** authorization:

1. Member is at least 18 years of age; AND
2. Medication must be prescribed by or in consultation with an ophthalmologist; AND
3. Member has a documented diagnosis of macular edema following branch retinal vein occlusion (BRVO) or central retinal vein occlusion (CRVO); AND
4. Trial and failure of or contraindication to an anti-VEGF drug; bevacizumab is the preferred product; AND
5. Member does NOT have any of the following:
 - a) Active or suspected ocular or periocular infections
 - b) Glaucoma with a cup to disc ratio of greater than 0.8
 - c) Torn or ruptured posterior lens capsule
6. **Dosage allowed/Quantity limit:** One implant (0.7 mg) per eye
Limit: 2 implants (1 per eye) per 4 months

If all the above requirements are met, the medication will be approved for 3 months.

For **reauthorization**:

1. Chart notes must include documentation of improved or stabilized visual acuity; AND
2. At least 4 months have elapsed since the prior treatment (of the same eye).

If all the above requirements are met, the medication will be approved for 3 months.

