

Atypical Hemolytic Uremic Syndrome (aHUS)

For **initial** authorization:

1. Medication is prescribed by or in consultation with a hematologist or nephrologist; AND
2. Member has a diagnosis of aHUS supported by ALL of the following:
 - a) Thrombocytopenia (platelet count $< 150 \times 10^9/L$),
 - b) Evidence of microangiopathic hemolytic anemia (MAHA) e.g., hemoglobin < 10 g/dL, elevated lactate dehydrogenase (LDH), low haptoglobin, presence of fragmented red blood cells or schistocytes on blood smear
 - c) Evidence of renal impairment (e.g., raised SCr or low eGFR); AND
3. Shiga toxin-producing E. coli related HUS (STEC-

Neuromyelitis Optica Spectrum Disorder (NMOSD)

For **initial** authorization:

1. Member is at least 18 years of age; AND
2. Medication must be prescribed by or in consultation w/68.67 Tm 0 G 0.173 Tc[(2.)] TJ N

17. Howard Jr, James F., et al. "Safety and efficacy of eculizumab in anti-acetylcholine receptor antibody-positive refractory generalised myasthenia gravis (REGAIN): a phase 3, randomised, double-blind, placebo-controlled, multicentre study." *The Lancet Neurology* 16.12 (2017): 976-986.
18. Dhillon, Sohita. "Eculizumab: A Review in Generalized Myasthenia Gravis." *Drugs* 78.3 (2018): 367-376.
19. Sanders DB, Wolfe GI, Benatar M, et al. International consensus guidance for management of myasthenia gravis: Executive summary. *Neurology*. 2016;87(4):419-425. doi:10.1212/WNL.0000000000002790
20. Narayanaswami P, Sanders DB, Wolfe G, et al. International Consensus Guidance for Management of Myasthenia Gravis: 2020 Update. *Neurology*. 2021;96(3):114-122. doi:10.1212/WNL.0000000000001124
21. Alhaidar MK, Abumurad S, Soliven B, Rezania K. Current Treatment of Myasthenia Gravis. *J Clin Med*. 2022;11(6):1597. Published 2022 Mar 14. doi:10.3390/jcm11061597
22. Weinschenker B. Neuromyelitis Optica Spectrum Disorder. NORD (National Organization for Rare Disorders). <https://rarediseases.org/rare-diseases/neuromyelitis-optica/>. Published August 25, 2020. Accessed October 2, 2020.
23. Kessler RA, Mealy MA, Levy M. Treatment of Neuromyelitis Optica Spectrum Disorder: Acute, Preventive, and Symptomatic. *Curr Treat Options Neurol*. 2016;18(1):2. doi:10.1007/s11940-015-0387-9
24. Mealy MA, Wingerchuk DM, Palace J, Greenberg BM, Levy M. Comparison of relapse and treatment failure rates among patients with neuromyelitis optica: multicenter study of treatment efficacy. *JAMA Neurol*. 2014;71(3):324-330. doi:10.1001/jamaneurol.2013.5699
25. Pittock SJ, Berthele A, Fujihara K, et al. Eculizumab in Aquaporin-4-Positive Neuromyelitis Optica Spectrum Disorder. *N Engl J Med*. 2019;381(7):614-625. doi:10.1056/NEJMoa1900866
26. Pardo S, Giovannoni G, Hawkes C, Lechner-Scott J, Waubant E, Levy M. Editorial on: Eculizumab in aquaporin4-positive neuromyelitis optica spectrum disorder. *Mult Scler Relat Disord*. 2019;33:A1-A2. doi:10.1016/j.msard.2019.07.001
27. Frampton JE. Eculizumab: A Review in Neuromyelitis Optica Spectrum Disorder [published correction appears in *Drugs*. 2020 Apr 21;:] [published correction appears in *Drugs*. 2020 Apr 22;:]. *Drugs*. 2020;80(7):719-727. doi:10.1007/s40265-020-01297-w
28. Pittock SJ, Fujihara K, Palace J, et al. Eculizumab monotherapy for NMOSD: Data from PREVENT and its open-label extension. *Mult Scler*. 2022;28(3):480-486. doi:10.1177/13524585211038291
29. Aungsumart S, Youngkong S, Dejthevaporn C, et al. Efficacy and safety of monoclonal antibody therapy in patients with neuromyelitis optica spectrum disorder: A systematic review and network meta-analysis. *Front Neurol*. 2023;14:1166490. Published 2023 Apr 4. doi:10.3389/fneur.2023.1166490
30. Wingerchuk DM, Zhang I, Kielhorn A, et al. Network Meta-analysis of Food and Drug Administration-approved Treatment Options for Adults with Aquaporin-4 Immunoglobulin G-positive Neuromyelitis Optica Spectrum Disorder. *Neurol Ther*. 2022;11(1):123-135. doi:10.1007/s40120-021-00295-8

Effective date: 01/01/2024

Revised date: 07/25/2023