MEDICAL POLICY STATEMENT
MARKETPLACE PLANS

Original Issue Date	Next Annual Review	Effective Date
05/18/2017	05/01/2018	05/18/2017
Policy Name		**Policy Number**
Gender Dysphoria		MM-0080
Policy Type		
MEDICAL		

Archived

Contents of Policy

MEDICAL POLICY STATEMENT 1
TABLE OF CONTENTS 1
A. SUBJECT 2
B. BACKGROUND 2
C. DEFINITIONS 2
D. POLICY 3
E. CONDITIONS OF COVERAGE 12
F. RELATED POLICIES/RULES 13
G. REVIEW/REVISION HISTORY 13
H. REFERENCES 13

dysphoria are poorly understood. Gender dysphoria is considered a psychological state. It is not discussed in terms of physical abnormalities. It is important to establish that dysphoria is present and the dysphoria must persist (i.e. it is not merely situational or temporary). A diagnostic assessment for gender dysphoria is an important part of an evaluation of gender-nonconforming individuals when mental health symptoms are present. It is recommended that the assessment be performed by a Qualified Mental Health Professional Gender Dysphoria is diagnosed using the Diagnostic and Statistical Manual of Mental Disorders criteria:

I. Evaluation of the Evidence
The body of evidence for treating gender dysphoria is relatively large in size and low to very-low in quality. The evidence suggests positive benefits for treatment of GD, but because of serious limitations in study designs it permits only weak conclusions regarding sex reassignment surgery. No conclusions can be made about the comparative benefits of hormone therapy alone and SRS, or about different components of SRS. Many of the studies were performed outside of the US. An additional concern is that Institutional Review Board (IRB) ov

Neovaginal stenosis was the most reported complication in both techniques. There was lack of standardization when comparing patient groups, surgical procedures, outcome measurement tools and follow-up. Study participants noted V H [X D O I X Q F W L R Q D Q G V D W L V I D F W L R Q Z H U H [3] D F F H S W D E made interpretation and generalization difficult due to lack of standardization. No IRB was noted for the study.

1.2 Bourman et al. studied 894 patients for clinical outcomes of intestinal oat36.004 (o)-TJT2 (s)-5 (tu

Ethical Guidelines for Professionals and Standards of Care (SOC) for Gender Identity Disorders. Although the standards are comprehensive and have a reference list, neither a systematic approach nor an appraisal of evidence was used. WPATH criteria for surgery are based on "available evidence" WPATH states that providers are required to deviate from the SOC for the following reasons: unique anatomic, social or psychological situations, lack of resources, research protocols, and the need for harm reduction.

D. Food and Drug Administration
   1. Reassignment surgeries are procedures, and therefore not subject to FDA regulation
E. American Psychiatric Association
   1. Created a position statement that appropriately-evaluated transgender and gender variant individuals can benefit greatly from medical and surgical treatments
   2. Has not issued evidence-based guidelines in either children or adults.
   3. Did not perform a systematic review of the literature for all categories of treatment for the position statement.
F. American Psychological Association
   1. Developed guidelines for the psychological practice with transgender and gender nonconforming people
   2. Did not perform a systematic review of the literature for all categories of treatment for the position statement. Review was mostly psycho-social approach.
   3. Notes evidence may be lacking for empirically-based recommendations
G. American Medical Association
   1. Made two resolutions urging removal of barriers to care for transgender patients
      1.1 Supports public and private insurance coverage for treatment of gender identity disorder
      1.2 Opposes categorical exclusions of coverage for treatment of gender identity disorder when prescribed by a physician
   2. Did not perform a systematic review of the literature for all cat.008 (y).1f8 Madeor t reatme tmorm

1. Must have a well-documented diagnosis of gender dysphoria
2. Must be medically necessary
3. Must be provided by an prescriber familiar with treatment gender dysphoria
4. Must be age 18 years or older
5. Must have the capacity to provide informed consent
6. Medications available are listed on the formulary

C. Surgery
   1. Surgery will be reviewed for medical necessity on a case-by-case basis. Given the behavioral health diagnosis of Gender Dysphoria, it is recommended that the member receive behavioral health treatment with a QMHP for at least three months prior to surgery. In addition, the member must have lived a real-life experience for at least twelve continuous months that is congruent with their gender identity.
   2. QMHP is responsible for providing and documenting informed consent to member from a behavioral-health perspective:
      2.1 Discussion of advantages and disadvantages of mental health outcomes related
      2.2 to gender transformation surgery
      Alternatives to surgery
   3. WPATH discusses the relationship of surgeons with mental health professionals and hormone prescribing physicians:
      3.1 ³7KH UROH RI WKH VXUJHRQ LQ WKH WUHDWPHQW RI JHQ
      3.1

during transition or make appropriate referral if member needs assistance with behavioral health treatment.

IV. SERVICES REQUIRING MEDICAL NECESSITY REVIEW

A. Members under the age of 21 will be reviewed for medical necessity as required by the Early Periodic Screening, Diagnosis and Tre (f)-10 ((.44 Td44 Td[(Eff) 4.0501Boi.tEff) 4.0501Bo)-12.008 (

A. Procedures or surgeries to enhance secondary sex characteristics are considered cosmetic and are not medically necessary.
B. A list of services, procedures or surgeries not covered is included below, this list may not be all inclusive:
    1. Reversal of genital surgery or reversal of surgery to revise secondary sex characteristics
    2. Abdominoplasty
    3. Blepharoplasty
    4. Breast augmentation
    5. Brow lift
    6. Body contouring
    7. Botox treatments
    8. Calf implants
    9. Cheek or malar implants
    10. Chin implants
    11. Collagen injections
    12. Drugs for hair loss or hair growth
    13. Electrolysis, hair removal
    14. Face lifts
    15. Facial bone reduction
    16. Facial feminization
    17. Hair removal
    18. Hair replacement
    19. Lip enhancement
    20. Lip reduction
    21. Liposuction of the waist
    22. Mastopexy
    23. Neck tightening
    24. Nose implants
    25. Pectoral implants
    26. Plastic surgery on eyes
    27. Reduction thyroid chondroplasty
    28. Rhinoplasty
    29. Skin resurfacing
    30. Voice modification surgery (laryngoplasty or shortening of the vocal cords)
    31. Voice therapy or voice lessons
    32. Any other surgeries or procedures deemed not medically necessary
    33. Reproduction services including but not limited to sperm preservation, oocyte preservation, cryopreservation of embryos, surrogate parenting, donor eggs and donor sperm and host uterus.

VI. SERVICES COVERED FOR MEMBERS THAT HAVE COMPLETED SEXUAL REASSIGNMENT SURGERY.
    A. CareSource treats all members consistent with the Gender Identity and does not deny or limit health services that ordinarily or exclusively are available to individuals of one sex to a transgender individual based on

13. Recommendations for Promoting the Health and Well-Being of Lesbian, Gay, Bisexual and Transgender Adolescents: A Position paper of the Society of Adolescent Health and Medicine (SAHM, 2013).
14.